


ALIENONE

AIR PURIFIER

with humidifying function

MODEL: AP-PH1

USER MANUAL



CONTENTS

01 Safety Information

03 Product Overview

05 Getting Started

08 Operation Guide

10 Purification&Humidification Principle

11 Filter Changing Guide

13 Product Specification

13 Product Maintenance

14 Troubleshooting

Safety Information

- (1) This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.
- (2) This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.
- (3) Children shall not play with the appliance.
- (4) Cleaning and user maintenance shall not be made by children without supervision.
- (5) If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
- (6) Be aware that high humidity levels may encourage the growth of biological organisms in the environment.
- (7) Do not permit the area around the humidifier to become damp or wet. If dampness occurs, turn the output of the humidifier down. If the humidifier output volume cannot be turned down, use the humidifier intermittently.
- (8) Do not allow absorbent materials, such as carpeting, curtains, drapes, or tablecloths, to become damp.
- (9) Unplug the appliance during filling and cleaning.
- (10) Never leave water in the reservoir when the appliance is not in use.
- (11) Empty and clean the humidifier before storage. Clean the humidifier before next use.

Moving

Before moving, please make sure to empty or remove the water tank, and ensure that the machine power is turned off and the plug is unplugged.

Installment

- 1.If the cover located on the back is not installed correctly, the air purifier cannot start.
- 2.The air inlet should be more than 20cm away from the wall and other shielding objects.

Cleaning

- 1.Regularly clean the dust at the air inlet hole is conducive to prevent the decrease of air inlet volume.
- 2.Please use a damp cloth to gently wipe the surface of the machine, avoiding water entering the machine.

Power Supply

Please follow the following instructions to use power cords and sockets to avoid fire, electric shock, or damage:

- 1.Do not excessively pull, twist, or bend the power cable. Otherwise, the core of the cable may be exposed or broken.
- 2.It must be connected to a power socket that fits the power cord plug.
- 3.Please don't use power adapter of other brands
- 4.Be sure to disconnect the power supply before performing maintenance operations or moving the air purifier.
- 5.If the supply cord is damaged, it must be replaced with one purchased from its manufacturer or service department.

Use

If the product has abnormal sound, peculiar smell, high temperature, or irregular fan rotation, stop using it immediately

- 1.Do not put fingers or foreign objects in the air inlet and outlet.
- 2.Do not put hair, fabric, etc. close to the item, so as not to be involved in or block the air inlet and outlet.
- 3.Do not sit, lean or tilt the purifier. and do not place heavy objects on it.
- 4.Do not pour liquid or throw powder and fine matter into the machine from the air outlet.

Usage Limits

Do not use it under the following conditions, otherwise electric shock, fire and other damage may occur:

- 1.The air inlet hole must be far away from the open flame appliance
- 2.The air purifier must be far away from high temperature and humidity places.
- 3.This product is not suitable for use by individuals (including children) with physical, sensory, or mental impairments or lack of experience and knowledge, unless the personnel who responsible for their safety supervise or guide them in the use of equipment.
- 4.Please keep away from children and take care of them to avoid playing with electrical appliances.
- 5.Children are not allowed to clean and maintain the machine.
- 6.If the humidification function is not used for more than a week, please empty the water tank.



Product Overview

Welcome to the user manual for the ANTOP Humidifier Air Purifier. We appreciate your purchase and you can expect the best performance for humidification and purification. ANTOP intelligent humidifier air purifier integrates functions such as humidification, purification, smoke removal, dust removal, bringing you the ultimate user experience.

Package Content:


Humidifier and Air Purifier*1
User Manual*1
Washable Humidifying Filter*1 (Inside)
H13 HEPA Filter*1 (Inside)
Water Tank*1 (Inside)
Water Purification Filter Cartridge*1 (Inside)

Air Quality Indicator Light (Changing Colors)




Getting Started

Filter Unpacking




1

Tear off the warning label attached to the back cover and open the back cover



2

Take out the HEPA filter and remove its package




3

Reinstall the HEPA filter back into the machine and cover the back cover


Filling Water

Before using the humidification function, it is necessary to add water to the water tank at first. You can choose one of the following methods for adding water. In order to provide you with a better humidification experience, we recommend using purified water.



Method 1:

Slowly add water directly through the top cover of the machine, aligning it with the water inlet of the ball.



Water Shortage

("White" is constantly on, and switch to the water shortage prompt interface)





Full Water State

("Red" lights up and displays for 10 seconds)

Method 2:



Open the back cover of the machine, press on the 2 lock buckles with one hand, pull the bottom buckle with the other hand then pull out the water tank. It is recommended to add water no more than the 8L mark height of the water tank to avoid overflow.



Product Placement



Before using the product, please place it on a stable and solid level surface.

1. To better utilize the performance of this product, the air inlet of the machine should be kept at a certain distance from walls and other obstructions during use. Please refer to the above picture.
2. After placing the product, connect the product plug to the socket and power it on to start using it.



Operation Guide

The intuitive data display panel can track air quality index, temperature index, humidity index, fan speed and operation mode at a glance.





On/Off

After turning on the humidifier and air purifier, it defaults to running at 1 gear fan speed. The background light of the on/off keying is highlighted, and the LED digital screen, decorative light, air quality light and water tank light are always on.



Mode/Fan Speed

The display shows "A" or "☾" that represents Auto Mode or Sleep Mode. And shows "1", "2" or "3" that represents different fan speed. Simply press the button to switch the mode and fan speed. In Auto mode, the machine dynamically adjusts the fan speed based on detected air quality reading from PM2.5 sensor.



Humidification Control / WIFI Connect

1. Press the Humidification Control button to activate the humidification function. The button light will become highlighted and remain on, and the humidification function defaults to constant humidity of 55%.

First tap: 55% constant humidity

Second tap: 65% constant humidity

Third tap: 75% constant humidity

Fourth tap: auto humidification mode

Fifth tap: stop humidification

Sixth tap: 45% constant humidity

*Not only the above humidification modes can be set in the APP, but also the 85% constant humidity.

*Auto Humidification Mode: Intelligent control of humidity based on temperature:

Below 20 °C: 65% constant humidity

20 °C and 26 °C: 60% constant humidity

Above 26 °C: 55% constant humidity

2. Press and hold the Humidification Control Button for 3 seconds to activate the WIFI connection function. The LED screen will enter the distribution network interface and the WIFI icon flashing.

Follow these simple steps to complete the WIFI setting:

① Ensure your mobile phone's WIFI, Bluetooth, and locate services are enabled. Then connects to WIFI (only 2.4G WIFI can be used, not 5G WIFI)

② Download the "Smart Life" APP from Google Play or App Store and create an account within the app.

③ Press the "+" icon on the top right to add a new device.

④ The app will automatically start scanning for the device after entering the connecting WIFI password.

Please follow the instructions to complete the pairing process.



Brightness Level Control

This button can be used to control the brightness of all lights including button background light, decorative light, air quality light, water tank light, etc.

① When turning on, the circular decorative light, air quality light, and water tank light are constantly on.

② Press the button to reduce the brightness of all lights by 50%.

③ Press button again, the background light of "Brightness Level Control" and "ON/OFF" will keep at 30% brightness, and all other lights will be turned off.

④ Press the button again to restore the highlighted state.



Filter Lifespan/ Filter Reset

1. Press the button to enter the filter display. After entering the filter selection interface, press the filter button again to select the filter that needs to be reset. Once confirmed, press and hold for 3 seconds to reset the selected filter.
2. If the service life of the filter has expired but the filter has not been replaced and reset, an alarm will be triggered every time when the machine is turned on to remind that the filter needs to be replaced. The filter button icon keeps flashing.



Child Lock (APP Control)

The APP controls the operation of the Child Lock. After the child lock function is enabled, it is unable to operate other buttons. "APP Unlock Control" will be shown to remind you when you touch any button, and the reminder interface will automatically switch back to the main interface after staying for 2 seconds.

Purification& Humidification Principle

Purification Principle:

Utilizing the pre-filter and H13 HEPA filter to physical purify and absorb the PM2.5 particles in the air. When the machine is in a humidified state, the generated water molecules will attached to the particulate matter in the air, causing it to settle and be better adsorbed by the purifier.




Humidification Principle:

AP-PH1 adopts mist-free evaporation technology. It pumps out water from the water tank onto the humidifying filter, and blows the water molecules of the humidifying filter into the air through a large amount of wind, achieving mist-free humidification.

Water Purification Principle:


AP-PH1 uses antibacterial and descaling material in water purification filter cartridge. This professional water purification filter cartridge can filter various dirt in water to reduce bacterial pollution and makes water sources cleaner.



Filter Changing Guide

Please check the filter lifespan at first, if the lifespan of the HEPA filter and humidifying filter remains at 10%, it is recommended to replace the HEPA filter or humidifying filter. Before replacing, be sure to unplug the power supply.


Replacing HEPA Filter:



- ❶ Remove the cover located on the back



- ❷ Take out the used HEPA filter




- ❸ Put the new HEPA filter and cover the back cover



- ❹ Press Filter Reset button, select the HEPA filter, press and hold for 3 seconds to reset HEPA filter lifespan

Replacing Humidifying Filter:



- 1 Remove the cover located on the back



- 2 Take out the humidifying filter, and take off the used humidifying filter on the water tank



- 3 Replace the new humidifying filter, re-install it on the water tank, and cover the back cover




- 4 Press Filter Reset button, select the humidifying filter, press and hold for 3 seconds to reset humidifying filter lifespan


Replacing Water Purification Filter Cartridge:



- 1 Remove the back cover and turn out the water tank from the machine.



- 2 Remove the water tank cover, turn out the used water purification filter cartridge and replace it with the new one



- 3 Install the water tank and filter back into the machine and cover the back cover.



- 4 Short press the filter lifespan button, select the water purification filter cartridge, and long press for 3 seconds to reset its lifespan timer

Product Specification

Product Name	Model
Humidifier and Air Purifier	AP-PH1
Size	Net Weight
345*340*840mm	12.2kg
PM2.5 CADR	Humidification Capacity
650m ³ /h	2500ml/h
Rated Voltage	Rated Power
110-220V	85W
Noise	Coverage
33dB-69dB	100-120m ²

Product Maintenance

1.Enclosure Cleaning

Use dry soft towel to lightly wipe out dust of the product enclosure, especially the air inlet and air outlet.

Do not use flammable, corrosive or poisonous fluid to clean the product.

Do not wash the product directly.

2.HEPA Filter Cleaning

Hair, dust or some big particulate matter will be adsorbed on the surface of the HEPA filter, which will effect the cleaning power of product.

We suggest clean the surface of the HEPA filter once a month.

Cleaning Method: Take out the HEPA filter from the machine, dust off or vacuum off the dirt. Or you can use wet towel to wipe off the dust.

3.Humidifying Filter Cleaning

If not use the humidifying filter for long, or it has been used more than a week, please wash the humidifying filter to clean off the dust and scale. We suggest to soak it with 50°C 4-5L water and 200g citric acid for half hour, and then rinse till it is totally clean.

Warning: Micro-organisms that may be present in the water or in the environment where the appliance is used or stored, can grow in the water reservoir and be blown in the air, causing very serious health risks when the water is not renewed and the tank is not cleaned properly every 3 days.

Troubleshooting

Not working

- 1.Check that the power adapter is connected and is the correct rating.
- 2.Make sure the filter cover is sealed.
- 3.Check that the filter is fitted properly into filter chamber.
- 4.Ensure the front panel and the air purifier unit are undamaged.

Abnormal pollutant smells, loud noise when running

- 1.Check that there are no foreign items in the area where the fan is located.
- 2.The combination filter may be clogged and its replacement may be necessary.

Insufficient air flow

- 1.Check that the filters are clean.
- 2.Check that the inlet and outlet are not blocked.

APP connection failure

1. Confirm that the phone has enabled Bluetooth and positioning functions.
2. Check that the phone is connected to WIFI and the connected WIFI needs to be in the 2.4G frequency band (Cannot be connected to WIFI in the 5G frequency band)
3. Check if there are any errors when entering the WIFI password on the APP interface.
4. If the issue cannot be resolved, please contact customer service for inquiries.

Beep alarm

When turn off the humidification function, the motor will continue to run at a low speed to dry the water filter for 40 to 60 minutes. If you press the on and off button again, this function is forced to be closed and the machine buzzes to alarm.

FCC Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ETL Saefety Notice

This product is ETL Listed and has been tested to comply with applicable safety standards in the United States.

The ETL Mark is proof of compliance with nationally recognized standards, including UL 507 (Standard for Electric Fans and Air Cleaners).

ALIENONE

Imported by:

ALIENONE LLC

800 SE 4th Ave, Ste 711

Hallandale Beach, FL 3300, USA

e-mail: mail@alienone.com